

**Uranium Energy Corp Exploration Drilling Results
Burke Hollow Project
Bee County, Texas**

			GAMMA VALUES				PFN VALUES				
HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_149.5-362.0	22/08/2012	420	185.5	21.5	0.032	0.690	179.5	37.5	0.137	5.133	180' Sand
BH_150.5-358.0	11/09/2012	420	189.0	10.0	0.030	0.297	186.0	23	0.158	3.623	180' Sand
BH_150.0-362.0	08/08/2012	420	187.5	21.0	0.041	0.854	187.0	21	0.120	2.517	180' Sand
BH_148.5-340.0	07/09/2012	340	186.5	15.5	0.049	0.765	181.0	28.5	0.084	2.394	180' Sand
BH_149.0-366.0	29/08/2012	420	200.0	6.5	0.139	0.905	200.5	17.5	0.092	1.617	180' Sand
BH_143.0-352.0	06/08/2012	420	191.0	8.5	0.036	0.309	186.0	13	0.120	1.562	180' Sand
BH_149.0-340.0	30/08/2012	380	187.0	13.0	0.036	0.471	183.0	21.5	0.070	1.500	180' Sand
BH_152.0-361.0	14/09/2012	340	198.5	6.5	0.016	0.105	191.0	17.5	0.080	1.397	180' Sand
BH_149.5-366.0	24/08/2012	420	192.5	14.5	0.033	0.472	190.0	23	0.056	1.290	180' Sand
BH_149.0-364.0	12/09/2012	400	198.0	7.5	0.022	0.161	196.0	12.5	0.103	1.288	180' Sand
BH_151.5-337.5	20/09/2012	340	192.0	10.5	0.021	0.225	191.0	9.5	0.127	1.209	180' Sand
BH_150.5-362.0	13/08/2012	420	186.0	18.0	0.028	0.506	186.0	20.5	0.058	1.195	180' Sand
BH_151.5-360.5	10/09/2012	420	187.5	18.5	0.034	0.625	183.5	23.5	0.048	1.139	180' Sand
BH_150.3-368.5	14/09/2012	400	198.5	3.0	0.016	0.047	188.5	19	0.059	1.122	180' Sand
BH_164.0-388.0	25/09/2012	420	207.0	12.5	0.034	0.419	205.5	12.5	0.089	1.108	180' Sand
BH_155.0-382.0	19/09/2012	420	196.0	5.0	0.019	0.094	192.0	14	0.076	1.068	180' Sand
BH_150.5-356.0	12/09/2012	420	195.0	4.5	0.015	0.069	181.0	21	0.049	1.026	180' Sand
BH_144.0-350.0	24/05/2012	520	183.0	6.5	0.017	0.111	181.5	19.5	0.051	0.991	180' Sand
BH_147.5-354.0	21/08/2012	420	185.5	9.5	0.033	0.316	184.0	20	0.049	0.978	180' Sand
BH_149.5-364.0	21/08/2012	420	194.5	10.0	0.021	0.207	183.5	22	0.041	0.912	180' Sand
BH_143.0-349.0	04/09/2012	420	181.5	5.0	0.015	0.076	178.0	20.5	0.042	0.857	180' Sand
BH_151.5-358.0	30/08/2012	420	188.5	10.0	0.020	0.204	183.0	18	0.046	0.831	180' Sand
BH_149.3-368.0	29/08/2012	370	189.5	10.5	0.027	0.289	186.5	22	0.037	0.818	180' Sand
BH_150.0-339.0	25/07/2012	300	186.5	17.0	0.020	0.332	186.5	13	0.062	0.807	180' Sand
BH_142.5-352.0	05/06/2012	420	191.5	8.5	0.015	0.131	182.5	23	0.033	0.765	180' Sand
BH_145.0-352.5	26/07/2012	420	192.0	12.5	0.025	0.308	193.5	11	0.066	0.723	180' Sand
BH_150.0-364.0	31/08/2012	420	193.0	11.0	0.018	0.282	191.5	15.5	0.041	0.641	180' Sand

HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_152.3-338.0	27/08/2012	420	196.5	7.5	0.020	0.149	195.0	20	0.032	0.630	180' Sand
BH_141.0-347.5	22/08/2012	420	178.5	5.0	0.019	0.094	176.0	15	0.040	0.597	180' Sand
BH_154.5-382.0	24/09/2012	400	194.5	8.5	0.022	0.188	191.0	12	0.050	0.596	180' Sand
BH_146.0-354.0	19/07/2012	420	192.0	13.5	0.018	0.242	192.5	13	0.044	0.570	180' Sand
BH_149.0-366.0	29/08/2012	420	190.5	7.5	0.019	0.139	188.5	11.5	0.047	0.545	180' Sand
BH_132.0-346.0	15/06/2012	420	193.5	9.5	0.025	0.240	194.5	8	0.067	0.538	180' Sand
BH_164.0-385.5	24/09/2012	420	208.0	12.0	0.021	0.251	207.0	10	0.049	0.495	180' Sand
BH_143.0-350.0	30/05/2012	400	184.0	4.0	0.018	0.073	182.0	10	0.049	0.493	180' Sand
BH_164.0-386.0	13/09/2012	420	207.5	13.5	0.025	0.337	206.5	13.5	0.034	0.459	180' Sand
BH_148.5-341.5	06/08/2012	320	184.5	10.5	0.025	0.265	182.0	12.5	0.036	0.455	180' Sand
BH_144.0-351.0	26/06/2012	420	183.5	8.2	0.020	0.171	186.0	9.5	0.045	0.424	180' Sand
BH_151.0-358.0	06/08/2012	420	190.5	7.5	0.025	0.187	189.5	8	0.053	0.423	180' Sand
BH_152.5-325.0	30/08/2012	420	185.5	5.0	0.018	0.090	183.5	14.5	0.029	0.414	180' Sand
BH_150.0-356.0	10/08/2012	420	194.5	7.0	0.025	0.172	193.0	9	0.043	0.389	180' Sand
BH_143.5-360.0	04/07/2012	420	201.0	2.5	0.014	0.034	201.0	9.5	0.041	0.389	180' Sand
BH_144.5-351.0	22/08/2012	420	188.0	8.0	0.015	0.117	190.5	15.5	0.024	0.375	180' Sand
BH_146.5-343.0	10/08/2012	420	193.5	6.5	0.012	0.078	195.0	13	0.027	0.357	180' Sand
BH_156.5-326.0	19/09/2012	360	195.0	2.5	0.018	0.045	194.0	5.5	0.061	0.338	180' Sand
BH_144.5-344.5	13/09/2012	340	181.0	10.0	0.014	0.135	180.0	11	0.029	0.321	180' Sand
BH_144.0-351.0	26/06/2012	420	196.5	5.0	0.021	0.106	196.5	5.5	0.058	0.317	180' Sand
BH_143.0-360.0	06/06/2012	400	201.0	5.0	0.016	0.079	198.0	12.5	0.025	0.312	180' Sand
BH_151.0-360.0	23/08/2012	420	189.5	10.5	0.024	0.252	195.0	5	0.060	0.299	180' Sand
BH_146.0-352.0	01/08/2012	420	189.0	4.0	0.016	0.064	188.0	12	0.025	0.299	180' Sand
BH_148.5-366.0	06/08/2012	420	199.0	7.5	0.023	0.175	201.5	7.5	0.040	0.296	180' Sand
BH_144.0-353.5	22/05/2012	820	198.5	3.0	0.012	0.037	194.0	11	0.026	0.285	180' Sand
BH_144.5-344.5	13/09/2012	340	195.0	10.0	0.022	0.215	195.5	6	0.046	0.275	180' Sand
BH_144.5-345.0	21/09/2012	340	195.0	5.5	0.029	0.158	195.0	7	0.037	0.261	180' Sand
BH_148.0-358.0	01/08/2012	420	201.0	3.0	0.020	0.059	202.0	3	0.086	0.259	180' Sand
BH_145.0-344.0	07/09/2012	340	185.5	5.5	0.012	0.066	182.0	9	0.028	0.254	180' Sand
BH_155.0-374.0	26/09/2012	360	196.0	6.5	0.018	0.117	190.5	11.5	0.025	0.247	180' Sand
BH_150.0-356.0	10/08/2012	420	186.0	7.0	0.013	0.094	183.5	9	0.027	0.241	180' Sand
BH_145.0-344.0	07/09/2012	340	195.0	5.0	0.015	0.076	191.5	7	0.032	0.227	180' Sand
BH_151.5-326.0	10/08/2012	420	182.5	2.0	0.014	0.029	178.0	9	0.023	0.209	180' Sand

HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_154.0-374.0	12/09/2012	360	193.5	4.0	0.014	0.056	193.0	5.5	0.027	0.151	180' Sand
BH_148.5-341.5	06/08/2012	320	199.0	4.5	0.017	0.076	199.5	4.5	0.033	0.149	180' Sand
BH_143.5-351.0	03/07/2012	420	196.0	2.0	0.010	0.020	193.5	6	0.024	0.146	180' Sand
BH_151.0-326.0	24/08/2012	300	179.0	2.0	0.013	0.025	176.0	6	0.021	0.124	180' Sand
BH_143.5-349.0	03/08/2012	420	181.5	4.0	0.013	0.054	180.5	4.5	0.027	0.121	180' Sand
BH_145.0-358.0	19/07/2012	420	199.0	4.0	0.022	0.087	199.5	4	0.028	0.113	180' Sand
BH_148.0-377.5	13/08/2012	660	196.0	1.0	0.012	0.012	197.0	6	0.018	0.109	180' Sand
BH_145.0-356.0	13/07/2012	420	204.0	2.5	0.010	0.026	204.0	4	0.019	0.075	180' Sand
BH_143.5-370.0	23/07/2012	640	203.0	4.0	0.015	0.061	203.5	3	0.017	0.052	180' Sand
BH_152.5-377.5	28/09/2012	420	196.5	6.0	0.020	0.120	199.5	1	0.014	0.014	180' Sand
BH_144.5-344.0	24/07/2012	420	192.0	11.0	0.025	0.278	-	-	-	-	180' Sand
BH_147.0-354.0	12/07/2012	620	189.5	7.0	0.027	0.189	-	-	-	-	180' Sand
BH_151.0-377.5	12/09/2012	460	199.0	8.0	0.019	0.150	-	-	-	-	180' Sand
BH_142.0-349.0	11/06/2012	420	196.0	6.0	0.024	0.142	-	-	-	-	180' Sand
BH_143.5-350.0	11/06/2012	420	182.5	6.5	0.021	0.137	-	-	-	-	180' Sand
BH_128.0-346.0	15/06/2012	420	202.0	6.0	0.021	0.129	-	-	-	-	180' Sand
BH_128.0-350.0	26/06/2012	420	206.0	8.5	0.014	0.121	-	-	-	-	180' Sand
BH_149.0-377.5	28/08/2012	460	202.5	6.5	0.017	0.109	-	-	-	-	180' Sand
BH_145.5-370.0	31/07/2012	420	196.5	7.5	0.014	0.108	-	-	-	-	180' Sand
BH_143.8-362.0	20/07/2012	420	193.0	7.0	0.015	0.104	-	-	-	-	180' Sand
BH_136.5-354.0	23/05/2012	820	198.0	7.0	0.015	0.104	-	-	-	-	180' Sand
BH_142.0-348.5	14/06/2012	420	197.0	4.0	0.020	0.078	-	-	-	-	180' Sand
BH_142.0-348.0	04/06/2012	420	180.5	5.5	0.014	0.078	-	-	-	-	180' Sand
BH_150.5-377.5	07/09/2012	460	199.0	5.0	0.014	0.071	-	-	-	-	180' Sand
BH_142.0-346.0	09/08/2012	420	185.5	5.5	0.012	0.066	-	-	-	-	180' Sand
BH_169.5-337.5	03/08/2012	420	178.0	3.5	0.017	0.059	-	-	-	-	180' Sand
BH_170.5-337.5	09/08/2012	660	177.0	4.0	0.013	0.054	-	-	-	-	180' Sand
BH_142.0-352.0	14/06/2012	420	187.0	4.0	0.012	0.048	-	-	-	-	180' Sand
BH_146.0-360.0	31/07/2012	660	200.5	3.5	0.014	0.047	-	-	-	-	180' Sand
BH_142.0-354.0	11/06/2012	420	195.0	3.0	0.015	0.046	-	-	-	-	180' Sand
BH_143.0-346.0	23/07/2012	420	186.0	3.5	0.013	0.045	-	-	-	-	180' Sand
BH_140.0-348.0	18/06/2012	420	178.0	3.5	0.013	0.044	-	-	-	-	180' Sand
BH_144.0-390.0	03/08/2012	640	196.5	3.5	0.012	0.043	-	-	-	-	180' Sand

HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_152.0-374.0	06/09/2012	660	200.5	2.5	0.015	0.038	-	-	-	-	180' Sand
BH_141.5-365.5	19/06/2012	940	199.5	3.0	0.012	0.035	-	-	-	-	180' Sand
BH_152.0-358.0	09/08/2012	420	199.5	2.0	0.017	0.034	-	-	-	-	180' Sand
BH_146.5-358.0	26/07/2012	420	201.5	3.0	0.012	0.034	-	-	-	-	180' Sand
BH_151.5-370.0	05/09/2012	400	203.5	2.0	0.016	0.032	-	-	-	-	180' Sand
BH_142.0-358.0	13/06/2012	420	201.0	2.5	0.013	0.032	-	-	-	-	180' Sand
BH_144.0-344.0	04/09/2012	420	198.5	3.0	0.011	0.032	-	-	-	-	180' Sand
BH_143.5-366.0	20/07/2012	640	205.5	2.0	0.016	0.031	-	-	-	-	180' Sand
BH_132.0-377.5	02/08/2012	660	203.5	2.0	0.014	0.027	-	-	-	-	180' Sand
BH_144.5-362.0	27/07/2012	420	200.5	2.5	0.011	0.027	-	-	-	-	180' Sand
BH_143.5-358.0	03/07/2012	400	203.5	2.5	0.011	0.027	-	-	-	-	180' Sand
BH_124.0-352.0	26/06/2012	420	207.5	2.0	0.013	0.026	-	-	-	-	180' Sand
BH_147.5-341.5	24/07/2012	300	201.5	2.0	0.012	0.024	-	-	-	-	180' Sand
BH_142.5-350.0	01/06/2012	400	198.0	2.0	0.011	0.022	-	-	-	-	180' Sand
BH_144.0-396.0	02/08/2012	420	184.0	1.5	0.011	0.016	-	-	-	-	180' Sand
BH_158.3-333.0	31/08/2012	340	196.5	1.5	0.011	0.016	-	-	-	-	180' Sand
BH_144.0-356.0	09/07/2012	420	203.5	1.5	0.011	0.016	-	-	-	-	180' Sand
BH_153.0-370.0	11/09/2012	420	196.5	1.0	0.013	0.013	-	-	-	-	180' Sand
BH_147.5-370.1	08/08/2012	660	200.5	1.0	0.011	0.011	-	-	-	-	180' Sand
BH_144.0-346.0	25/05/2012	400	196.0	1.0	0.010	0.010	-	-	-	-	180' Sand
BH_156.5-325.0	27/09/2012	440	196.0	1.0	0.010	0.010	-	-	-	-	180' Sand
BH_156.0-382.0	16/08/2012	660	196.5	1.0	0.010	0.010	-	-	-	-	180' Sand
BH_145.0-354.0	02/07/2012	420	200.0	1.0	0.010	0.010	-	-	-	-	180' Sand
BH_144.0-358.0	23/05/2012	820	202.5	1.0	0.010	0.010	-	-	-	-	180' Sand
BH_143.0-358.0	05/06/2012	400	205.0	1.0	0.010	0.010	-	-	-	-	180' Sand
BH_152.5-323.5	22/08/2012	300	191.5	0.5	0.011	0.005	-	-	-	-	180' Sand
BH_154.5-354.0	26/09/2012	660	193.5	0.5	0.010	0.005	-	-	-	-	180' Sand
BH_136.5-370.0	04/07/2012	920	204.5	0.5	0.010	0.005	-	-	-	-	180' Sand
BH_156.0-390.0	15/08/2012	560	190.0	20.0	8X BG	-	-	-	-	-	180' Sand
BH_192.0-290.0	06/09/2012	420	205.0	5.0	7X BG	-	-	-	-	-	180' Sand
BH_152.5-326.0	30/07/2012	420	177.0	10.0	5X BG	-	-	-	-	-	180' Sand
BH_156.0-384.0	10/09/2012	400	190.0	10.0	5X BG	-	-	-	-	-	180' Sand
BH_136.5-322.1	20/07/2012	920	192.0	5.0	5X BG	-	-	-	-	-	180' Sand

HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_132.0-350.0	26/06/2012	420	167.0	10.0	5-6X BG	-	-	-	-	-	180' Sand
BH_161.0-336.0	19/09/2012	360	162.0	40.0	4X BG	-	-	-	-	-	180' Sand
BH_158.0-318.0	28/08/2012	660	170.0	10.0	4X BG	-	-	-	-	-	180' Sand
BH_152.5-322.0	31/07/2012	660	173.0	10.0	4X BG	-	-	-	-	-	180' Sand
BH_156.0-322.0	21/08/2012	660	160.0	40.0	4-8X BG	-	-	-	-	-	180' Sand
BH_147.5-343.0	17/08/2012	420	174.0	60.0	4-8X BG	-	-	-	-	-	180' Sand
BH_160.5-336.5	31/08/2012	340	160.0	50.0	3X BG	-	-	-	-	-	180' Sand
BH_169.0-329.0	14/08/2012	680	162.0	45.0	3X BG	-	-	-	-	-	180' Sand
BH_150.0-354.0	26/07/2012	660	170.0	30.0	3X BG	-	-	-	-	-	180' Sand
BH_200.0-323.0	14/09/2012	360	185.0	35.0	3X BG	-	-	-	-	-	180' Sand
BH_178.0-358.0	17/08/2012	660	190.0	20.0	3X BG	-	-	-	-	-	180' Sand
BH_151.5-330.0	27/07/2012	660	204.0	5.0	3X BG	-	-	-	-	-	180' Sand
BH_144.5-334.0	31/05/2012	820	202.0	20.0	3-6X BG	-	-	-	-	-	180' Sand
BH_126.0-392.0	28/06/2012	420	203.0	40.0	3-5X BG	-	-	-	-	-	180' Sand
BH_169.5-340.0	28/08/2012	420	160.0	50.0	3-4X BG	-	-	-	-	-	180' Sand
BH_137.0-353.0	04/09/2012	420	175.0	60.0	3-4X BG	-	-	-	-	-	180' Sand
BH_152.0-342.5	31/07/2012	420	180.0	30.0	3-4X BG	-	-	-	-	-	180' Sand
BH_155.0-350.0	27/09/2012	460	170.0	40.0	2X BG	-	-	-	-	-	180' Sand
BH_126.5-388.0	26/07/2012	420	202.0	60.0	2-4X BG	-	-	-	-	-	180' Sand
BH_135.5-394.0	18/07/2012	620	207.0	60.0	2-4X BG	-	-	-	-	-	180' Sand
BH_200.0-290.0	05/07/2012	920	185.0	25.0	2-3X BG	-	-	-	-	-	180' Sand
BH_146.5-344.0	20/09/2012	340	220.0	6.5	0.053	0.346	214.0	10	0.065	0.647	220' Sand
BH_144.5-345.0	21/09/2012	340	211.5	12.0	0.017	0.207	207.5	14	0.031	0.433	220' Sand
BH_146.5-345.0	26/09/2012	420	217.5	8.5	0.020	0.167	217.0	10.5	0.041	0.430	220' Sand
BH_142.5-352.0	05/06/2012	420	218.0	4.0	0.022	0.088	213.5	9.5	0.045	0.423	220' Sand
BH_144.0-344.0	04/09/2012	420	223.0	2.5	0.024	0.060	217.0	11.5	0.028	0.327	220' Sand
BH_144.0-353.5	22/05/2012	820	215.5	4.0	0.028	0.111	214.5	8	0.039	0.314	220' Sand
BH_143.0-356.0	04/06/2012	420	224.5	3.5	0.013	0.047	222.5	10	0.021	0.209	220' Sand
BH_142.5-349.0	07/08/2012	420	221.0	2.5	0.016	0.041	221.0	4	0.023	0.091	220' Sand
BH_145.0-344.0	07/09/2012	340	214.0	2.0	0.012	0.023	216.0	3.5	0.017	0.059	220' Sand
BH_142.5-356.0	06/06/2012	420	224.5	10.5	0.023	0.240	-	-	-	-	220' Sand
BH_142.0-354.0	11/06/2012	420	228.0	3.0	0.021	0.064	-	-	-	-	220' Sand
BH_142.0-352.0	14/06/2012	420	221.5	3.5	0.017	0.060	-	-	-	-	220' Sand

HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_142.0-348.5	14/06/2012	420	221.0	4.5	0.013	0.058	-	-	-	-	220' Sand
BH_140.0-322.0	07/08/2012	440	219.5	2.0	0.013	0.025	-	-	-	-	220' Sand
BH_207.5-354.8	10/09/2012	420	223.5	1.5	0.015	0.023	-	-	-	-	220' Sand
BH_142.8-354.0	01/06/2012	400	224.5	1.5	0.011	0.017	-	-	-	-	220' Sand
BH_154.0-370.0	24/09/2012	400	210.5	1.0	0.012	0.012	-	-	-	-	220' Sand
BH_148.0-338.0	17/07/2012	640	223.0	1.0	0.012	0.012	-	-	-	-	220' Sand
BH_139.8-346.0	04/06/2012	860	221.5	1.0	0.010	0.010	-	-	-	-	220' Sand
BH_203.5-355.0	27/08/2012	460	222.5	1.0	0.010	0.010	-	-	-	-	220' Sand
BH_148.5-334.0	18/07/2012	360	223.5	1.0	0.010	0.010	-	-	-	-	220' Sand
BH_120.0-354.0	29/06/2012	920	210.0	35.0	4-6X BG	-	-	-	-	-	220' Sand
BH_168.0-346.0	10/08/2012	660	230.0	60.0	4-5X BG	-	-	-	-	-	220' Sand
BH_172.0-370.0	08/08/2012	420	230.0	7.0	3X BG	-	-	-	-	-	220' Sand
BH_148.5-329.5	03/08/2012	300	215.0	15.0	3-5X BG	-	-	-	-	-	220' Sand
BH_123.5-384.0	12/07/2012	620	210.0	30.0	3-4X BG	-	-	-	-	-	220' Sand
BH_92.5-321.5	27/06/2012	420	210.0	45.0	3-4X BG	-	-	-	-	-	220' Sand
BH_124.0-358.0	10/07/2012	620	213.0	50.0	3-4X BG	-	-	-	-	-	220' Sand
BH_104.5-321.5	30/05/2012	820	225.0	60.0	2-3X BG	-	-	-	-	-	220' Sand
BH_120.5-392.0	18/07/2012	420	244.5	9.0	0.020	0.179	243.5	10	0.037	0.367	240' Sand
BH_121.0-392.0	05/07/2012	420	247.0	12.0	0.016	0.192	244.5	13	0.023	0.299	240' Sand
BH_122.0-384.0	01/08/2012	420	250.0	2.5	0.016	0.039	247.0	8.0	0.028	0.225	240' Sand
BH_126.5-380.0	27/07/2012	420	252.0	4.5	0.027	0.120	252.0	5	0.025	0.126	240' Sand
BH_120.0-392.0	29/06/2012	420	263.0	1.0	0.011	0.011	262.5	0.5	0.024	0.012	240' Sand
BH_121.0-384.0	27/06/2012	420	238.0	3.5	0.016	0.054	-	-	-	-	240' Sand
BH_128.0-350.0	26/06/2012	420	243.0	2.5	0.015	0.036	-	-	-	-	240' Sand
BH_160.5-338.0	24/08/2012	660	259.0	3.0	0.012	0.036	-	-	-	-	240' Sand
BH_124.0-356.0	03/07/2012	420	245.0	2.5	0.013	0.033	-	-	-	-	240' Sand
BH_140.5-397.5	31/07/2012	420	257.0	2.0	0.012	0.025	-	-	-	-	240' Sand
BH_125.0-380.0	25/07/2012	420	252.0	1.5	0.013	0.020	-	-	-	-	240' Sand
BH_98.5-321.5	05/07/2012	420	238.5	0.5	0.010	0.005	-	-	-	-	240' Sand
BH_124.0-395.0	03/08/2012	300	245.0	15.0	5X BG	-	-	-	-	-	240' Sand
BH_116.0-392.6	17/07/2012	420	290.0	6.0	5-6X BG	-	-	-	-	-	240' Sand
BH_102.5-345.5	17/07/2012	920	240.0	38.0	4-5X BG	-	-	-	-	-	240' Sand
BH_128.0-396.5	01/08/2012	420	247.0	20.0	3X BG	-	-	-	-	-	240' Sand
BH_150.3-368.5	14/09/2012	400	370.5	7.0	0.021	0.150	365.5	20.5	0.104	2.124	370' Sand

HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_143.0-349.0	04/09/2012	420	354.0	20.0	0.017	0.340	346.0	38.5	0.029	1.132	370' Sand
BH_144.5-351.0	22/08/2012	420	363.0	16.0	0.037	0.589	361.5	18	0.052	0.932	370' Sand
BH_143.0-350.0	30/05/2012	400	358.5	11.5	0.026	0.297	356.5	14.5	0.064	0.932	370' Sand
BH_142.5-349.0	07/08/2012	420	352.5	9.0	0.022	0.194	352.5	17	0.053	0.896	370' Sand
BH_151.5-358.0	30/08/2012	420	372.0	13.5	0.021	0.270	369.5	23	0.037	0.853	370' Sand
BH_149.5-364.0	21/08/2012	420	371.0	5.5	0.035	0.191	370.5	5.5	0.137	0.753	370' Sand
BH_155.0-382.0	19/09/2012	420	381.5	9.5	0.014	0.133	377.5	16.5	0.044	0.728	370' Sand
BH_144.0-351.0	26/06/2012	420	361.5	5.5	0.018	0.099	359.5	20.5	0.035	0.717	370' Sand
BH_142.5-349.0	07/08/2012	420	376.5	6.0	0.035	0.209	370.0	22.5	0.030	0.678	370' Sand
BH_144.0-360.0	10/07/2012	420	370.0	5.0	0.028	0.139	371.0	4.5	0.147	0.663	370' Sand
BH_132.0-393.0	23/07/2012	420	372.0	8.5	0.024	0.203	370.0	9.5	0.051	0.484	370' Sand
BH_143.5-351.0	03/07/2012	420	358.0	3.0	0.015	0.045	357.0	10.5	0.045	0.473	370' Sand
BH_143.0-360.0	06/06/2012	400	372.0	3.5	0.025	0.088	369.0	11.5	0.040	0.460	370' Sand
BH_144.0-356.0	09/07/2012	420	380.0	5.5	0.039	0.213	381.0	4	0.111	0.445	370' Sand
BH_143.5-351.0	03/07/2012	420	370.0	6.5	0.023	0.149	369.5	7	0.064	0.445	370' Sand
BH_143.8-362.0	20/07/2012	420	376.0	12.5	0.028	0.348	377.0	11.5	0.037	0.420	370' Sand
BH_136.0-346.0	13/06/2012	420	348.0	4.0	0.016	0.066	345.5	7	0.058	0.409	370' Sand
BH_142.0-352.0	14/06/2012	420	366.5	13.0	0.022	0.292	364.0	12.5	0.032	0.400	370' Sand
BH_154.5-382.0	24/09/2012	400	383.0	8.5	0.026	0.220	380.5	9.5	0.040	0.379	370' Sand
BH_152.0-357.0	17/08/2012	420	382.0	4.5	0.020	0.090	379.0	10.5	0.036	0.374	370' Sand
BH_151.0-360.0	23/08/2012	420	370.5	8.5	0.018	0.155	370.0	9	0.041	0.368	370' Sand
BH_149.5-370.0	16/08/2012	640	373.5	7.5	0.018	0.135	373.0	5.5	0.067	0.368	370' Sand
BH_148.0-377.5	13/08/2012	660	360.5	5.0	0.023	0.113	360.5	8.5	0.042	0.354	370' Sand
BH_143.0-356.0	04/06/2012	420	382.0	2.0	0.015	0.030	379.0	12.5	0.028	0.347	370' Sand
BH_134.0-396.0	03/07/2012	420	367.0	4.5	0.024	0.106	363.0	8.5	0.040	0.338	370' Sand
BH_142.0-366.0	16/07/2012	620	380.5	5.5	0.025	0.138	379.0	6	0.049	0.297	370' Sand
BH_143.5-360.0	04/07/2012	420	372.0	2.0	0.015	0.030	371.0	6	0.042	0.253	370' Sand
BH_143.0-352.0	06/08/2012	420	370.5	4.0	0.020	0.078	368.5	5.5	0.045	0.246	370' Sand
BH_145.0-354.0	02/07/2012	420	375.5	4.0	0.015	0.059	375.5	6.5	0.034	0.224	370' Sand
BH_143.5-349.0	03/08/2012	420	356.5	3.5	0.018	0.064	355.0	5.5	0.037	0.203	370' Sand
BH_146.0-354.0	19/07/2012	420	368.5	5.0	0.025	0.126	368.0	5	0.037	0.184	370' Sand
BH_164.0-388.0	25/09/2012	420	390.0	5.0	0.019	0.096	388.5	6	0.025	0.150	370' Sand
BH_143.5-370.0	23/07/2012	640	369.5	1.5	0.011	0.016	368.5	6	0.023	0.140	370' Sand

HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_132.0-392.0	13/07/2012	620	364.5	1.5	0.012	0.018	361.0	5	0.026	0.131	370' Sand
BH_146.0-352.0	01/08/2012	420	375.0	4.0	0.016	0.066	375.5	5	0.023	0.129	370' Sand
BH_121.0-392.0	05/07/2012	420	372.5	3.5	0.013	0.044	371.5	7.5	0.016	0.119	370' Sand
BH_145.0-358.0	19/07/2012	420	368.5	1.5	0.011	0.016	366.5	5	0.020	0.101	370' Sand
BH_150.0-362.0	08/08/2012	420	364.0	8.5	0.017	0.143	363.5	3	0.025	0.075	370' Sand
BH_144.5-360.0	17/07/2012	420	367.0	5.5	0.014	0.078	369.0	2.5	0.026	0.065	370' Sand
BH_152.5-377.5	28/09/2012	420	372.5	2.5	0.013	0.033	372.0	2	0.026	0.053	370' Sand
BH_141.5-349.0	12/07/2012	620	353.0	9.0	0.019	0.174	-	-	-	-	370' Sand
BH_141.5-349.0	12/07/2012	620	370.0	6.5	0.023	0.147	-	-	-	-	370' Sand
BH_142.5-356.0	06/06/2012	420	360.0	4.5	0.028	0.127	-	-	-	-	370' Sand
BH_143.5-350.0	11/06/2012	420	362.0	7.0	0.018	0.123	-	-	-	-	370' Sand
BH_136.0-346.5	14/06/2012	420	351.5	3.0	0.018	0.055	-	-	-	-	370' Sand
BH_140.5-398.0	26/07/2012	420	377.5	3.5	0.015	0.053	-	-	-	-	370' Sand
BH_149.0-366.0	29/08/2012	420	372.5	2.5	0.016	0.040	-	-	-	-	370' Sand
BH_138.5-400.0	16/07/2012	600	374.5	3.0	0.013	0.040	-	-	-	-	370' Sand
BH_134.5-395.0	25/07/2012	420	367.5	2.0	0.019	0.038	-	-	-	-	370' Sand
BH_149.5-366.0	24/08/2012	420	368.0	2.0	0.017	0.034	-	-	-	-	370' Sand
BH_164.0-386.0	13/09/2012	420	386.0	2.5	0.014	0.034	-	-	-	-	370' Sand
BH_156.0-386.0	21/09/2012	400	388.0	2.0	0.016	0.032	-	-	-	-	370' Sand
BH_152.0-358.0	09/08/2012	420	388.5	2.0	0.015	0.030	-	-	-	-	370' Sand
BH_142.5-360.0	29/06/2012	400	369.5	2.0	0.014	0.027	-	-	-	-	370' Sand
BH_151.5-367.5	28/09/2012	420	372.5	2.0	0.013	0.025	-	-	-	-	370' Sand
BH_140.5-367.0	09/07/2012	620	376.5	2.0	0.012	0.024	-	-	-	-	370' Sand
BH_139.0-362.0	13/06/2012	420	365.5	1.5	0.013	0.020	-	-	-	-	370' Sand
BH_152.0-374.0	06/09/2012	660	374.0	1.5	0.013	0.020	-	-	-	-	370' Sand
BH_139.5-362.0	28/06/2012	420	360.5	1.0	0.011	0.011	-	-	-	-	370' Sand
BH_134.5-396.0	12/07/2012	620	365.0	1.0	0.011	0.011	-	-	-	-	370' Sand
BH_144.0-350.0	24/05/2012	520	377.5	1.0	0.011	0.011	-	-	-	-	370' Sand
BH_140.0-362.0	19/06/2012	420	363.0	1.0	0.010	0.010	-	-	-	-	370' Sand
BH_72.5-289.0	06/06/2012	420	326.5	0.5	0.010	0.005	-	-	-	-	370' Sand
BH_164.0-390.0	06/09/2012	660	389.0	0.5	0.010	0.005	-	-	-	-	370' Sand
BH_131.5-395.5	25/05/2012	860	368.0	5.0	8X BG	-	-	-	-	-	370' Sand
BH_120.0-388.0	24/07/2012	420	370.0	10.0	7X BG	-	-	-	-	-	370' Sand

HOLE	DRILL DATE	TD	TOP	THICKNESS (ft)	GRADE	GT	TOP	THICKNESS (ft)	GRADE	GT	HORIZON
BH_72.0-289.0	01/06/2012	420	323.0	8.0	6X BG	-	-	-	-	-	370' Sand
BH_134.0-394.0	27/07/2012	420	360.0	26.0	6-7X BG	-	-	-	-	-	370' Sand
BH_145.5-366.0	30/07/2012	660	360.0	11.0	5-7X BG	-	-	-	-	-	370' Sand
BH_141.0-362.0	12/07/2012	420	363.0	40.0	5-6X BG	-	-	-	-	-	370' Sand
BH_135.0-394.5	01/08/2012	420	360.0	25.0	4-6X BG	-	-	-	-	-	370' Sand
BH_73.0-289.0	25/05/2012	820	310.0	20.0	4-5X BG	-	-	-	-	-	370' Sand
BH_122.5-388.0	17/07/2012	620	365.0	15.0	4-5X BG	-	-	-	-	-	370' Sand
BH_140.5-400.0	24/07/2012	640	127.0	1.5	0.014	0.021	-	-	-	-	Upper Goliad
BH_199.5-355.0	24/07/2012	920	140.0	80.0	3-X BG	-	-	-	-	-	Upper Goliad
BH_151.5-369.0	20/09/2012	420	125.0	80.0	3X BG	-	-	-	-	-	Upper Goliad
BH_156.5-338.0	24/08/2012	420	146.0	40.0	3X BG	-	-	-	-	-	Upper Goliad
BH_164.5-338.0	23/08/2012	420	150.0	50.0	3X BG	-	-	-	-	-	Upper Goliad
BH_168.0-370.0	19/07/2012	920	155.0	30.0	2-3X BG	-	-	-	-	-	Upper Goliad
BH_194.0-290.0	13/09/2012	360	155.0	60.0	2-3X BG	-	-	-	-	-	Upper Goliad
BH_196.0-290.0	27/08/2012	460	156.0	60.0	2-3X BG	-	-	-	-	-	Upper Goliad
BH_40.0-384.3	18/06/2012	820	645.0	4.0	3X BG	-	-	-	-	-	Lower Goliad
BH_232.0-256.5	07/08/2012	920	880.0	30.0	2X BG	-	-	-	-	-	Lower Goliad
BH_165.0-256.5	20/06/2012	820	-	-	BARREN	-	-	-	-	-	
BH_235.0-320.5	29/06/2012	820	-	-	BARREN	-	-	-	-	-	
BH_72.5-353.0	28/06/2012	920	-	-	BARREN	-	-	-	-	-	
BH_92.5-347.0	25/06/2012	420	-	-	BARREN	-	-	-	-	-	